

# PIXMA TS9550

# COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



- Compact A3 printer with large touchscreen
- Wireless connectivity with Canon PRINT app and Ethernet capability
- Effortless access to popular cloud storage via PIXMA Cloud Link
- 20-sheet ADF\*, 2-way paper feeder and auto 2-sided printing\*\*
- Dedicated pigment black ink for professional documents

\*A4/LTR/LGL sizes only

\*\*[A5/A4/LTR size plain paper only]



## PRODUCT RANGE



**PIXMA TS9550**



PIXMA TS9150 Series



PIXMA TS8250 Series

## PIXMA TS9550

PIXMA TS9150 Series

PIXMA TS8250 Series

PIXMA TS6250 Series

**Canon**

Live for the story\_

# TECHNICAL SPECIFICATIONS

# PIXMA TS9550

## GENERAL SPECIFICATIONS

**Model Numbers** PIXMA TS9550 (BLACK)  
**Functions** Wireless / Ethernet, Print, Copy, Scan, Cloud Link

## PRINTER SPECIFICATIONS

**Print Resolution** Up to 4800<sup>[1]</sup> x 1200 dpi  
**Print Technology** 6 Individual Ink Tanks (PGBK, BK, C, M, Y, PB) ChromaLife100 inks  
**Mono Print Speed** Approx. 15.0 ipm<sup>[2]</sup>  
**Colour Print Speed** Approx. 10.0 ipm<sup>[2]</sup>  
**Photo Print Speed** Borderless 10x15cm: Approx. 21 seconds<sup>[3]</sup>  
**Borderless Printing** Yes (A4, Letter, 20x25cm, 13x18cm, 10x15cm, 13x13cm, 8.9x8.9cm, 10x10cm, 17.5x25cm, 25x30cm, 30x30cm)  
**Two Sided Printing** Auto Duplex Print (A4, A5, B5, Letter - Plain Paper)  
**Direct Disc Printing** Yes

## CARTRIDGES AND YIELDS

**Standard Ink Cartridges** 5 individual ink tanks  
 PGI-580PGBK (Pigment Black)  
 CLI-581BK (Black)  
 CLI-581C (Cyan)  
 CLI-581M (Magenta)  
 CLI-581Y (Yellow)  
**Optional XL Ink Cartridges** High yield XL ink tanks  
 PGI-580PGBK XL (Pigment Black)  
 CLI-581BK XL (Black)  
 CLI-581C XL (Cyan)  
 CLI-581M XL (Magenta)  
 CLI-581Y XL (Yellow)  
**Optional XXL Ink Cartridges** High yield XL ink tanks  
 PGI-580PGBK XXL (Pigment Black)  
 CLI-581BK XXL (Black)  
 CLI-581C XXL (Cyan)  
 CLI-581M XXL (Magenta)  
 CLI-581Y XXL (Yellow)

**Ink Tanks Yield (Plain paper)** A4 Colour Document<sup>[4]</sup>  
 Pigment Black: 200 pages  
 Pigment Black XL: 400 pages  
 Pigment Black XXL: 600 pages  
 Black: 1451\* pages  
 Black XL: 3120\* pages  
 Black XXL: 6360\* pages  
 Cyan: 256 pages  
 Cyan XL: 515 pages  
 Cyan XXL: 820 pages  
 Magenta: 237 pages  
 Magenta XL: 474 pages  
 Magenta XXL: 760 pages  
 Yellow: 257 pages  
 Yellow XL: 514 pages  
 Yellow XXL: 824 pages  
 \* Estimated supplemental yield

**Ink Tanks Yield (Photo print)** 10x15cm photo<sup>[5]</sup>  
 Pigment Black: 1263\* photos  
 Pigment Black XL: 3373\* photos  
 Pigment Black XXL: 5500\* photos  
 Black: 231\* photos  
 Black XL: 520\* photos  
 Black XXL: 858\* photos  
 Cyan: 83 photos  
 Cyan XL: 170 photos  
 Cyan XXL: 282 photos  
 Magenta: 108 photos  
 Magenta XL: 225 photos  
 Magenta XXL: 367 photos  
 Yellow: 99 photos  
 Yellow XL: 199 photos  
 Yellow XXL: 322 photos  
 \* Estimated supplemental yield

## PAPER SUPPORT

**Paper Types** Plain Paper  
 Canon High Resolution Paper (HR-101N)  
 Canon Pro Platinum (PT-101)  
 Canon Plus Glossy II (PP-201)  
 Canon Pro Luster (LU-101)  
 Canon Plus Semi-gloss (SG-201)  
 Canon "Everyday Use" (GP-501)  
 Canon Matte (MP-101)  
 Envelopes  
 Other Fine Art Papers  
 Printable Discs  
 Removable Photo Stickers (RP-101)  
 Magnetic Photo Paper (MG-101)  
**Maximum Paper Input** Rear Tray: Max. 20 sheets (photo paper) or Max. 100 sheets (plain paper)  
 Front Cassette: Max. 100 sheets (plain paper)  
 Multi-purpose Tray: Printable Nail Stickers (NL-101)/1 printable CD, DVD or Blu-Ray Disc

## Paper Sizes

Rear Tray: A4/A5/B5/LTR/LGL/20x25cm/13x18cm/10x15cm/13x13cm/8.9x8.9cm/10x10cm/17.5x25cm/25x30cm/30x30cm, Envelopes(DL,COM10)  
 [Custom size] width 55mm - 215.9 mm, length 89mm - 676mm  
 Front Cassette: A4, A5, B5, LTR  
 [Custom size] width 148.0 mm - 215.9 mm, length 210mm - 297mm  
**Paper Weight** Rear Tray: Plain paper 64 - 105 g/m<sup>2</sup>, Canon photo paper up to 300 g/m<sup>2</sup>  
 Front Cassette: Plain Paper: 64-105 g/m<sup>2</sup>

## SCANNER SPECIFICATIONS

**Scanner Type** Flatbed, ADF and CIS colour scanner  
**Scanner Resolution (Optical)** 2400 x 4800 dpi<sup>[6]</sup>  
**A4 Scan Speed** Approx TBD sec.<sup>[7]</sup>  
**Scanning Depth (Input / Output)** Colour: RGB each 16bit/8bit  
 Greyscale: 16 bit / 8 bit  
**Maximum Document Size** Flatbed: A4, LTR (216x297mm)  
 ADF: A4, LTR, LGL

## COPIER SPECIFICATIONS

**Copy Speed** sFCOT: Approx. 19sec<sup>[8]</sup>  
 sESAT: Approx. 6.5ipm<sup>[8]</sup>  
 sESAT ADF: Approx. 8.0 ipm<sup>[8]</sup>  
**Multiple Copy** max. 99 pages  
**Copy Functions** Document Copying, Photo Copying, Borderless copy, 2-sided copy, 2-on-1 and 4-on-1 copy, Frame erase copy, Disc Label Copy, ID copy  
**Copy Zoom** 25 - 400% (in 1% increments)  
 Fit to page  
 A5 to A4, B5 to A4, A4 to A5 and A4 to B5

## INTERFACE

**Display Type & Size** 10.8cm LCD (TFT colour/Touch)  
**Display Languages** 33 Languages Selectable: Japanese/English(mm & inch)/German/French/Italian/Spanish/Dutch/Portuguese/Norwegian/Swedish/Danish/Finnish/Russian/Czech/Hungarian/Polish/Slovene/Turkish/Greek/Simplified Chinese/Traditional Chinese/Korean/Indonesian/Slovakian/Estonian/Latvian/Lithuanian/Ukrainian/Romanian/Bulgarian/Thai/Croatian/Vietnamese



# TECHNICAL SPECIFICATIONS

# PIXMA TS9550

<b>Automatic Document Feeder</b>	Up to 20 Sheets (1-sided)
<b>Interface Type - PC / Mac</b>	Hi-Speed USB (B Port) Ethernet: 10/100Mbps (auto switchable) Wi-Fi: IEEE802.11 b/g/n/a Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password Wireless LAN Frequency Band: 2.4GHz
<b>Interface Type - Other</b>	Canon PRINT Inkjet/SELPHY app Bluetooth Message In Print app Nail Sticker app PIXMA Cloud Link Canon Print Service Plugin (Android) Google Cloud Print Apple AirPrint Wireless Direct Access Point Mode LAN/WLAN PictBridge Memory Card Slot Mopria (Android)
<b>Compatible Memory Cards</b>	SD Card, SDHC Card, SDXC Card, miniSD Card*, micro SD Card* mini SDHC Card*, micro SDHC Card*, microSDXC Card* *Using recommended adapter - not supplied
<b>SOFTWARE</b>	
<b>Supported Operating Systems</b>	Windows 10, Windows 8.1, Windows 7 SP1 Operation can only be guaranteed on a PC with pre-installed Windows 7 or later. OS X 10.10.5~OS X 10.11, macOS 10.12~macOS 10.13
<b>Supported Mobile Systems</b>	iOS, Android, Windows 10 Mobile
<b>Minimum System Requirements</b>	Windows: 3.1GB disk space, Internet Explorer 8 Mac: Internet connection, 1.5GB disk space, Safari 5 Display: 1024 x 768 XGA
<b>Software Included</b>	MP Driver including Scanning Utility Easy-WebPrint EX (download) <sup>[9]</sup>

## PHYSICAL FEATURES

### Weight

approx. 9.7kg

### Dimensions (W x D x H)

approx. 468 x 366 x 193 mm

### Acoustic Noise Levels

approx. 49.5dB(A)<sup>[11]</sup>

### Recommended Operating Environment

Temperature: 15-30°C

Humidity: 10-80%RH (no dew condensation)

### Power Source

AC 100-240V, 50/60Hz

### Power Consumption

Off: Approx. 0.3W

Standby (connected to PC via USB): Approx. 1.2W

(scanning lamp off)

Standby (all ports connected): Approx. 2.0W

(scanning lamp is off)

Time to enter Standby mode: 10min 56sec

Copying: Approx. 14W<sup>[12]</sup>

## Footnotes

- [1] Ink droplets can be placed with a minimum pitch of 1/4800 inch
- [2] A4 document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.
- [3] Photo print speed is based on default driver setting using ISO/JIS-SCID N2 standard on Canon Photo Paper Plus Glossy II and does not take into account data processing time on host computer.
- [4] Declared yield value in accordance with ISO/IEC 24711 standard. Values obtained by continuous printing.
- [5] Declared yield value in accordance with ISO/IEC 29102. Values obtained by continuous printing.
- [6] Optical resolution is a measure of maximum hardware sampling resolution, based on ISO 14473 standard.
- [7] Colour document scan speed is measured with ISO/IEC 29183 Target A. Scan speed indicates the time measured between pressing the scan button of the scanner driver and the on-screen status display turns off. Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- [8] Copy speeds are the average of sFCOT and sESAT, ISO/IEC 29183. Copy speeds (ADF) are ESAT of copy in sequence, ISO/IEC 24735. Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- [9] Easy-WebPrint EX requires Internet Explorer 8 or later
- [10] When printing ISO/JIS-SCID N2 pattern on 10x15cm Photo Paper Plus Glossy II using default settings.
- [11] When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.
- [12] Some colours may not be available in your region.

## Standard disclaimers

- All specifications subject to change without notice.
- Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.
- Ink yield may vary depending on texts/photos printed, applications software used, print mode and type of paper used. For yield information see [www.canon-europe.com/ink/yield](http://www.canon-europe.com/ink/yield)
- Scan speed may vary depending on system configuration, interface, software, scan mode settings and document size etc.
- Copy speed may vary depending on document complexity, copy mode, page coverage, type of paper used etc. and does not take into account warming up time.
- All brand and product names are trademarks of their respective companies.
- Microsoft, Windows and the Windows logo are trademarks, or registered trademarks of Microsoft Corporation in the United States and/or other countries.



# COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

# PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.

Sales Start Date: Nov 2018



#### PRODUCT DETAILS:

Product Name	Mercury Code	EAN Code
PIXMA TS9550 BK EUR	2988C008AA	4549292117622

#### CONSUMABLES:

Product Name	Mercury Code	EAN Code
<b>Standard size</b>		
PGI-580 PGBK	2078C001AA	4549292087062
CLI-581 BK	2106C001AA	4549292087079
CLI-581 C	2103C001AA	4549292087086
CLI-581 M	2104C001AA	4549292087093
CLI-581 Y	2105C001AA	4549292087116
<b>XL size</b>		
PGI-580XL PGBK	2024C001AA	4549292086980
CLI-581XL BK	2052C001AA	4549292086997
CLI-581XL C	2049C001AA	4549292087017
CLI-581XL M	2050C001AA	4549292087024
CLI-581XL Y	2051C001AA	4549292087031
<b>XXL size</b>		
PGI-580XXL PGBK	1970C001AA	4549292086836
CLI-581XXL BK	1998C001AA	4549292086874
CLI-581XXL C	1995C001AA	4549292086898
CLI-581XXL M	1996C001AA	4549292086928
CLI-581XXL Y	1997C001AA	4549292086959

Live for the story\_

# COMPACT, CONNECTED A3-CAPABLE ALL-IN-ONE FOR ALL YOUR BUSINESS NEEDS

# PIXMA TS9550

With A3-capability, seamless touchscreen navigation, clever cloud-storage printing and advanced connectivity, PIXMA TS9550's professional precision makes it the ideal business partner.



#### MEASUREMENT / LOGISTIC INFORMATION:

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)
PIXMA TS9550 BK EUR	2988C008AA	EA	Individual	1	550	272.5	484
			Pallet (Upper)	16	1111	1101	972.5
			Pallet (Bottom)	16	1111	1101	972.5

#### What's in the box?

- All-In-One A3 inkjet printer – PIXMA TS9550
- Set-up ink tanks
- Power cord
- Set-up CD-ROM
- Manuals and other documents

**Canon**

---

Live for the story\_